## PA' NT COOPERATION TREAT'

	From the INTERNATIONAL BUREAU
PCT	To:
. •	
NOTIFICATION OF ELECTION	Assistant Commissioner for Patents
(DOT D. J. 04.0)	United States Patent and Trademark
(PCT Rule 61.2)	Office Box PCT
	Washington, D.C.20231
	ETATS-UNIS D'AMERIQUE
Date of mailing:	in its capacity as elected Office
12 October 2000 (12.10.00)	
International application No.:	Applicant's or agent's file reference: 219900143971
PCT/JP99/01676	
International filing date:	Priority date:
31 March 1999 (31.03.99)	
Applicant: ASANO, Toshio et al	
	and the second s
The designated Office is hereby notified of its election made	:
X in the demand filed with the International preliminary	
21 May 1999 (2	21.05.99)
in a notice effecting later election filed with the Intern	ational Bureau on:
In a notice enecting later election meet that the meet	
2. The election X was	
was not	
made before the expiration of 19 months from the priority d	ate or where Pula 32 applies within the time limit under
Rule 32.2(b).	ate or, where hale 32 applies, within the time limit under

The International Bureau of WIPO 34, chemin des Colombettes 1211 Geneva 20, Switzerland

Facsimile No.: (41-22) 740.14.35

Authorized officer:

J. Zahra

Telephone No.: (41-22) 338.83.38

#### Written Response

Examiner of the Patent Office: Mr. Hidehiko Yonezawa, Esq.

- 1. Designation of the International Patent Application: PCT/JP99/01676
- Applicant

Name: HITACHI, LTD.

Address: 6, Kanda Surugadai 4-chome, Chiyoda-ku, Tokyo 101-8010

Nationality: Japan

Address: Japan

3. Agent

Name: Yasuo SAKUTA, Patent Attorney (Reg. No.7509)

Address: C/O HITACHI, LTD., 5-1, Marunouchi 1-chome,

Chiyoda-ku, TOKYO 100-8220 JAPAN

- 4. Date of Notice: June 29, 1999
- 5. Content of Response:

#### 1. Contents of Written Opinion

The Written Opinion states that claims 1, 3, 5 and 16 do not have a novelty and claims 1 to 21 do not have an inventive step.

The Written Opinion has the following description on the documents.

"As claims 1, 3, 5 and 16 are recited in document 1 cited in the International Search Report, they do not have a novelty.

Claim 2 has no inventive step over documents 1 and 2. It would be obvious for those skilled in the art to use the technique of using a G signal as taught in document 2 in the apparatus of document 1.

Claims 4 and 17 have no inventive step over documents 1, 3 and 4. It would be obvious for those skilled in the art to use the ultraviolet-rays cutting filter as taught in document 3 and the semiautomatic inspection technique as taught in document 4 in the apparatus of document 1.

Claim 6 has no inventive step over documents 1 and 5.

It would be obvious for those skilled in the art to use the polarization filter as taught in document 5 in the apparatus of document 1.

Claims 7, 8, 20 and 21 have no inventive step over documents 1 and 6. It would be obvious for those skilled in the art to use the scale as taught in document 6 in the apparatus of document 1.

Claims 9 to 12 have no inventive step over documents

1 and 4. It would be obvious for those skilled in the art to use the semiautomatic inspection technique as taught in document 4 in the apparatus of document 1.

Claims 13 to 15 and 19 have no inventive step over documents 1, 4 and 7. It would be obvious for those skilled in the art to use the semiautomatic inspection technique as taught in document 4 and the penetrant inspection technique as taught in document 7 in the apparatus of document 1.

Claim 18 has no inventive step over documents 1 to 4. It would be obvious for those skilled in the art to use the technique of using a G signal as taught in document 2, the ultraviolet-rays cutting filter as taught in document 3 and the semiautomatic inspection technique as taught in document 4 in the apparatus of document 1.

- 2. Reason why the present invention should be patented
- (1) Gist of the present invention

The present invention relates to a non-destructive inspection method and an apparatus therefor, and the gist of the present invention is as recited in the claims.

(2) Description on the grounds for amendment

The claims have been amended in the Amendment submitted today together with this response. We think that all the amendments do not depart from the scope described in the specification as originally filed.

(3) Description on the documents cited in the Written

Opinion

Document 1: JP,1-109249,A (Kuruto Zauwavain?)

Document 1 relates to a method and apparatus for checking and determining cracks on the surface of a part.

Page 4, upper left column, line 8 to upper right column,

line 12 describes that a part 1 which undergoes crack

identification is moved by a scanning device 2, and is

illuminated using a light source in such a way that

fluorescent rays emitted from a crack on the surface of the

part 1 can be identified by a magnetic-particle method or a

color penetrant method using the color TV camera 3 equipped

with the objective lens 4 and ray filter.

Document 2: JP,63-225153,A (TATEISHI DENKI KABUSHIKI

KAISHA?)

Document 2 relates to a substrate inspection method for inspecting the mount state of a part on a substrate. Page 3, upper left column, line 19 to upper right column, line 7 describes that the level of the R signal in the image signal of the line a which is output from the TV camera 37 becomes higher by the portion of the adhesive 28 and the level of the R signal becomes higher by the portion excluding the portion of the adhesive 28.

Document 3 relates to a magnetic-particle inspection apparatus, and the second column, lines 33 to 47 describe that the ultraviolet-rays cutting filter is attached to the front face of the TV camera to prevent ultraviolet rays

Document 3: JP,5-107202,A (Hitachi, Ltd.)

reflected by a test piece from coming into the camera.

Document 4: JP,8-2601,Y2 (MEIDENSHA CORPORATION)

Document 4 relates to an appearance inspection apparatus for a wire harness. The fifth column, lines 2 to 11 describe that a worker sets inspection areas by using the first input means, the image processing means performs image processing for each inspection area set to automatically determine if there is a deficiency and displays a deficiency determination result, and the worker determines a deficiency from the display contents by observing the wire harness for each of the image processing inspection items that have not passed, and corrects the deficiency determination result by using the second input means if a deficiency is not present.

Document 5: JP, 10-300688, A (FUJIMORI KOGYO Co., Ltd.)

bocument 5 relates to an optical monitoring apparatus which projects light on a specimen and monitors the color of the specimen, the presence/absence of a deficiency and so forth from the reflected light and transmission light. The second column, lines 9 to 49 describe that an optical monitoring apparatus, which includes a light source for projecting light toward the surface of a specimen and a photodetector for receiving reflected light reflected at the surface of the specimen, has polarizers respectively provided on the light projection side of the light source and the light receiving side of the photodetector, thereby preventing regular reflected light from the irregularity of

the surface of the specimen from entering the photodetector, and monitors the color of the specimen and a deficiency.

Document 6: JP,6-118062,A (TOSHIBA CORPORATION)

Document 6 relates to a deficiency recording/reproducing method for non-destructive inspection which is used to perform non-destructive inspection by a penetrant test or magnetic-particle test or the like. The first column, lines 2 to 18 describe that a scale indicating the two-dimensional coordinates on the test surface of a specimen and this scale and a deficiency indicating pattern are recorded as the same camera image.

Document 7: JP,4-12258,A (MARTEC KABUSHIKI KAISHA?)

Document 7 relates to an aerosol type penetrant, aerosol type cleaner and aerosol type developer which are used in solvent-removing penetrant inspection method. Page 2, upper left column, line 20 to upper right column, line 13 describes a method which performs a process of adhering a solvent-removing dye or fluorescent penetrant to the surface of a specimen, then detects the presence and location of a deficiency through observation under white light when a solvent-removing dye penetrant is used and under ultraviolet rays when a solvent-removing fluorescent penetrant is used.

(3) Comparison between the present invention and cited documents

The subject matter described in document 1 is common to the subject matters described in the present claims in

that a deficiency is detected by detecting fluorescent light from a crack in the surface of a sample by a magnetic-particle method or color penetrant method. But, the subject matter of document 1 differs from the subject matter described in present claim 1 in that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a magnetic-particle inspection scheme, "deficiency candidates are extracted from an image acquired by that image pickup, images of said extracted deficiency candidates are displayed on a screen, and a deficiency is extracted from said displayed images of said deficiency candidates". We think that none of the pointed documents 2 to 7 describe or suggest the difference.

The subject matter of document 1 differs from the subject matter described in present claim 3 in that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a magnetic-particle inspection scheme, "said to-be-inspected surface irradiated with ultraviolet rays is picked up by a color video camera, and an image acquired by that image pickup is displayed on a screen in a nearly same state as an image acquired by visually observing said to-be-inspected surface irradiated with ultraviolet rays". We think that none of the pointed documents 2 to 7 describe or suggest the difference.

Further, the subject matter of document 1 differs from the subject matter described in present claim 4 in

that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a magnetic-particle inspection scheme, "said to-be-inspected surface irradiated with ultraviolet rays is picked up by a color video camera via an ultraviolet-rays cutting filter, a deficiency and deficiency candidates are extracted from an image acquired by that image pickup, and images of said extracted deficiency and deficiency candidates are displayed on a screen". We think that either one of the pointed documents 3 and 4 does not describe or suggest the difference.

Further, the subject matter of document 1 differs from the subject matter described in present claim 5 in that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a penetrant inspection scheme, "a deficiency on said to-be-inspected surface is inspected using information about chromaticity and hue of an image acquired by that image pickup". We think that none of the pointed documents 2 to 7 describe or suggest the difference.

Furthermore, the subject matter of document 1 differs from the subject matter described in present claim 6 in that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a penetrant inspection scheme, "said to-be-inspected surface illuminated with polarization light is picked up by a color video camera via a polarization filter, and

deficiency candidates are extracted from an image acquired by that image pickup". We think that the pointed document 5 neither describes nor suggests the difference.

The subject matter of document 1 also differs from the subject matter described in present claim 10 in that document 1 neither describes nor has a description suggesting that in a deficiency inspection method based on a probing scheme, "deficiency candidates are extracted from an image acquired by that image pickup by eliminating a pseudo deficiency in said to-be-inspected surface, images of said extracted deficiency candidates are displayed on a screen, and a pseudo deficiency is further eliminated from said displayed images of said deficiency candidates". We think that the pointed document 4 neither describes nor suggests the difference.

Further, the subject matter of document 1 differs

from the subject matter described in present claim 11 in

that document 1 neither describes nor has a description

suggesting that in a deficiency inspection method based on

a probing scheme, "deficiency candidates are extracted from

an image acquired by that image pickup by eliminating a

pseudo deficiency in said to-be-inspected surface, images

of said extracted deficiency candidates are displayed on a

screen, a deficiency is selected from said displayed images

of said deficiency candidates, and information about said

selected deficiency is stored". We think that the pointed

document 4 neither describes nor suggests the difference.

Furthermore, the subject matter of document 1 differs from the subject matter described in present claim 12 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "illumination means which has an ultraviolet-rays illuminating section for illuminating ultraviolet rays onto said to-be-inspected surface of said specimen, and a white-light illuminating section for illuminating white light onto said to-be-inspected surface of said specimen and illuminates said to-be-inspected surface of said specimen and illuminates said to-be-inspected document 4 neither describes nor suggests the difference.

The subject matter of document 1 further differs from the subject matter described in present claim 14 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "magnetic-particle-inspection-originated deficiency-candidate extraction means for extracting magnetic-particle-inspection originated deficiency candidates on said to-be-inspected surface from an image of said to-be-inspected surface acquired by that image pickup by said image pickup means; and penetrant-inspection-originated deficiency-candidate extraction means for extracting penetrant-inspection-originated deficiency candidates on said to-be-inspected surface from said image of said to-be-inspected surface acquired by image pickup by said image pickup means". We think that either one of the

pointed documents 4 and 7 does not describe or suggest the difference.

Further, the subject matter of document 1 differs from the subject matter described in present claim 15 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "display means for displaying information of said images of said deficiency candidates stored in said storage section on a screen". We think that either one of the pointed documents 4 and 7 does not describe or suggest the difference.

Furthermore, the subject matter of document 1 differs from the subject matter described in present claim 16 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "display means for displaying an image of said to-be-inspected surface acquired by image pickup by said image pickup means on a screen in a nearly same state as an image acquired by visually observing said to-be-inspected surface irradiated with ultraviolet rays". We think that none of the pointed documents 2 to 7 describe or suggest the difference.

Moreover, the subject matter of document 1 differs from the subject matter described in present claim 17 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "image pickup means for picking"

up said to-be-inspected surface irradiated with ultraviolet rays by said ultraviolet-rays irradiation means by a color video camera via an ultraviolet-rays cutting filter; and deficiency-candidate extraction means for detecting deficiency candidates on said to-be-inspected surface from an image of said to-be-inspected surface acquired by image pickup by said image pickup means". We think that both of the pointed documents 3 and 4 do not describe or suggest the difference.

The subject matter of document 1 further differs from the subject matter described in present claim 18 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "deficiency-candidate extraction means for extracting deficiency candidates on said to-be-inspected surface using a green (G) signal component in a color image signal output from said image pickup means". We think that none of the pointed documents 2, 3 and 4 describe or suggest the difference.

Furthermore, the subject matter of document 1 differs from the subject matter described in present claim 19 in that document 1 neither describes nor has a description suggesting that a deficiency inspection apparatus based on a probing scheme includes "magnetic-particle-inspection-originated deficiency-candidate extraction means" and "penetrant-inspection-originated deficiency-candidate extraction means". We think that both of the pointed

documents 4 and 7 do not describe or suggest the difference.

#### 3. Conclusion

As explained above, the individual subject matters described in the present claims differ from the subject matters described in documents 1 to 7 and are not easily devised by those skilled in the art. We therefore think that the present invention sufficiently has a novelty and inventive step.

We respectfully request that the novelty and inventive step of the present invention should be reconsidered based on the scope of the amended claims.

#### **AMENDMENT**

Examiner of the Patent Office: Mr. Hidehiko Yonezawa, Esq.

- 1. Designation of the International Patent Application: PCT/JP99/01676
- 2. Applicant

Name: HITACHI, LTD.

Address: 6, Kanda Surugadai 4-chome, Chiyoda-ku, Tokyo 101-8010

Nationality: Japan

Address:

Japan

3. Agent

Name: Yasuo SAKUTA, Patent Attorney (Reg. No.7509)
Address: C/O HITACHI, LTD., 5-1, Marunouchi 1-chome,
Chiyoda-ku, TOKYO 100-8220 JAPAN

- 4. Item to be amended: Claims
- 5. Subject matter of amendment:

as attached hereto

- (1) Claims 1, 2, 5, 7, 10, 11, 12 and 14 are amended, and
- (2) Claim 13 is deleted.
- 6. List of additional documents:

Additional new pages for claims (pages 16 through 18 and 18-1)

1

JC17 PCT/PTO 25 JUL 2001

#### Addendum

#### Attachment 1

International Publication No. WO00/60344-coversheet
International Preliminary Examination Report
International Search Report w/cited refs.
PCT Request Form
Amendment (5 sheets)
Written Response (13 sheets)
Credit Card Payment Form
Figs. 1A-1B, 2, 3A-3B, 4A-4B, 5-8, 9A-9C, 10-12, 13A-13D, 14A-14B, 15, 16A-16D, 17-22

#### CLAIMS

- 1. (Amended) A deficiency inspection method based on a magnetic-particle inspection scheme, wherein a to-be-inspected surface of a specimen is picked up using a color video camera, deficiency candidates on said to-be-inspected surface are extracted using an image acquired by that image pickup, images of said extracted deficiency candidates are displayed on a screen and a deficiency is extracted from said displayed deficiency candidates.
- 2. (Amended) The deficiency inspection method according to claim 1, wherein a deficiency on said to-be-inspected surface of a specimen is picked up using a color video camera and a deficiency on said to-be-inspected surface is inspected using information about luminance of a green (G) signal component in signals of primary colors of RGB in said image picked up by said color video camera.
- 3. A deficiency inspection method based on a magnetic-particle inspection scheme, wherein a to-be-inspected surface of a specimen to which a solution containing fluorescent magnetic powder is applied is irradiated with ultraviolet rays, said to-be-inspected surface irradiated with ultraviolet rays is picked up by a color video camera, and an image acquired by that image pickup is displayed on a screen in a nearly same state as an image acquired by visually observing said to-be-inspected surface irradiated with ultraviolet rays.
- 4. A deficiency inspection method based on a magnetic-particle inspection scheme, wherein a to-be-inspected surface of a specimen to which a solution containing fluorescent magnetic powder is applied is irradiated with ultraviolet rays, said to-be-inspected surface irradiated with ultraviolet rays is picked up by a color video camera via an ultraviolet-rays cutting filter, a deficiency and deficiency candidates are extracted from an image acquired by that image pickup, and images of said extracted deficiency and deficiency candidates are displayed on a screen.
- 5. (Amended) A deficiency inspection method based on a penetrant inspection scheme, wherein a to-be-inspected surface of a specimen is picked up using a color video camera and a

deficiency on said to-be-inspected surface is inspected using information about chromaticity and hue of an image acquired by that image pickup.

- 6. A deficiency inspection method based on a penetrant inspection scheme, wherein a to-be-inspected surface of a specimen is illuminated with polarization light, said to-be-inspected surface illuminated with polarization light is picked up by a color video camera via a polarization filter, deficiency candidates are extracted from an image acquired by that image pickup, and images of said extracted deficiency candidates are displayed.
- 7. (Amended) The deficiency inspection method according to any one of claims 1, 4 and 6, wherein said to-be-inspected surface of said specimen is picked up by a color video camera with positional information of a visual field of said color video camera placed in said visual field, deficiency candidates in said to-be-inspected surface are extracted from an image acquired by that image pickup, and images of said extracted deficiency candidates are displayed on a screen together with said positional information of said visual field.
- 8. The deficiency inspection method according to claim 7, wherein said positional information of said visual field is originated from a scale arranged in said visual field.
- 9. The deficiency inspection method according to any one of claims 1 to 8, wherein said to-be-inspected surface is picked up by said color video camera over plural visual fields.
- 10. (Amended) A deficiency inspection method based on a probing scheme, wherein a to-be-inspected surface of a specimen is picked up by image pickup means, deficiency candidates are extracted from an image acquired by that image pickup by eliminating a pseudo deficiency in said to-be-inspected surface, images of said extracted deficiency candidates are displayed on a screen, and a pseudo deficiency is <u>further</u> eliminated from said displayed images of said deficiency candidates.
- 11. (Amended) A deficiency inspection method based on a probing scheme, wherein a to-be-inspected surface of a specimen is picked up by image pickup means, deficiency candidates are extracted from an image acquired by that image pickup by

eliminating a pseudo deficiency in said to-be-inspected surface, images of said extracted deficiency candidates are displayed on a screen, a deficiency is selected from said displayed images of said deficiency candidates, and information about said selected deficiency is stored

12. (Amended) A deficiency inspection apparatus based on a probing scheme, comprising: illumination means which has an ultraviolet-rays illuminating section for illuminating ultraviolet rays onto said to-be-inspected surface of said specimen, and a white-light illuminating section for illuminating white light onto said to-be-inspected surface of said specimen and illuminates a to-be-inspected surface of a specimen with said ultraviolet rays or said white light; image pickup means for picking up said to-be-inspected surface by a color video camera; deficiency-candidate extraction means for extracting deficiency candidates on said to-be-inspected surface from an image of said to-be-inspected surface acquired by image pickup by said image pickup means; and display means for displaying images of said deficiency candidates extracted by said deficiency-candidate extraction means.

#### 13. (Canceled)

14. (Amended) A deficiency inspection apparatus based on a probing scheme, comprising: illumination means for illuminating a to-be-inspected surface of a specimen; image pickup means for picking up said to-be-inspected surface by a color video camera; magnetic-particle-inspection-originated deficiency-candidate extraction means for extracting magnetic-particle-inspection originated deficiency candidates on said to-be-inspected surface from an image of said to-be-inspected surface acquired by that image pickup by said image pickup means; penetrant-inspection-originated deficiency-candidate extraction means for extracting penetrant-inspection-originated deficiency candidates on said to-be-inspected surface from said image of said to-be-inspected surface acquired by image pickup by said image pickup means; and display means for displaying images of said deficiency candidates extracted by said magnetic-particle-inspection-originated

deficiency-candidate extraction means or said penetrant-inspection-originated deficiency-candidate extraction means.

- 15. A deficiency inspection apparatus based on a probing scheme, comprising: illumination means for illuminating a to-be-inspected surface of a specimen; image pickup means for picking up said to-be-inspected surface by a color video camera; deficiency-candidate extraction means for extracting deficiency candidates on said to-be-inspected surface from an image of said to-be-inspected surface acquired by image pickup by said image pickup means; a storage section for storing images of said deficiency candidates extracted by said deficiency-candidate extraction means; and display means for displaying information of said images of said deficiency candidates stored in said storage section on a screen.
- 16. A deficiency inspection apparatus based on a probing scheme, comprising: ultraviolet-rays irradiation means for irradiating ultraviolet rays to a to-be-inspected surface of a specimen to which a solution containing fluorescent magnetic powder is applied; image pickup means for picking up said to-be-inspected surface irradiated with ultraviolet rays by said ultraviolet-rays irradiation means by a color video camera; and display means for displaying an image of said to-be-inspected surface acquired by image pickup by said image pickup means on a screen in a nearly same state as an image acquired by visually observing said to-be-inspected surface irradiated with ultraviolet rays.

# Translation

# PATENT COOPERATION TREATY PCT

#### INTERNATIONAL PRELIMINARY EXAMINATION REPORT

(PCT Article 36 and Rule 70)

Applicant's or agent's file reference 219900143971	FOR FURTHER ACTION		ionofTransmittalofInternational Preliminary Report (Form PCT/IPEA/416)	
International application No. PCT/JP99/01676	International filing date (day/n 31 March 1999 (31.0		Priority date (day/month/year)	
International Patent Classification (IPC) or n G01N 27/84, 21/91	ational classification and IPC			
Applicant	HITACHI, LTD	).		
<ol> <li>This international preliminary examination report has been prepared by this International Preliminary Examining Authority and is transmitted to the applicant according to Article 36.</li> <li>This REPORT consists of a total of</li></ol>				
These annexes consist of a to	stal of sheets.			
3. This report contains indications relating to the following items:    I   Basis of the report				
Date of submission of the demand		completion of		
21 May 1999 (21.05.	99)	13 Ja	nuary 2000 (13.01.2000)	
Name and mailing address of the IPEA JP	Author	zed officer		
Facsimile No.	Telepho	one No.		

# INTERNATIONAL PRELIMARY EXAMINATION REPORT

I.	Basis	of the re	eport	
1.	. With	regard to	the elements of the international application:*	
		the inter	mational application as originally filed	
ŀ		the desc	cription:	
		pages	1-15	, as originally filed
		pages		_, filed with the demand
		pages _	, filed with the letter of	<del></del>
	$\overline{}$	the clair	ms:	
		pages		as originally filed
		pages	, as amended (together with any st	
		pages _	1.2.5,7,10-12,14 , filed with the letter of 30 Augu	, filed with the demand
	_	pages _	, filed with the letter of 30 Augu	(30.08.1999)
		the draw		
		pages _	1/22-22/22	
		pages _ pages		
		_	, filed with the letter of	
	L t		nce listing part of the description:	
		pages _		
		pages _ pages		
		1.1.50	filed with the letter of	
2.	the in	nternation e element: the lang the lang the lang	guage of a translation furnished for the purposes of international search (under Rule 23.1(b)), guage of publication of the international application (under Rule 48.3(b)), guage of the translation furnished for the purposes of international preliminary examination	which is:
3.	With prelif	minary ex	to any <b>nucleotide and/or amino acid sequence</b> disclosed in the international applicamination was carried out on the basis of the sequence listing:	cation. the international
	H		ed in the international application in written form.  gether with the international application in computer readable form.	
	H	_	ed subsequently to this Authority in written form.	
	H		ed subsequently to this Authority in computer readable form.	
		The sta	atement that the subsequently furnished written sequence listing does not go beyong tional application as filed has been furnished.	d the disclosure in the
		The stat	tement that the information recorded in computer readable form is identical to the writ rnished.	ten sequence listing has
4.		The amo	endments have resulted in the cancellation of:	
		tl	the description, pages	
		∑ tl	the claims, Nos13	
		tl	the drawings, sheets fig	
5.		This repo	ort has been established as if (some of) the amendments had not been made, since they have the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	we been considered to go
*	in thu	s report	heets which have been turnished to the receiving Office in response to an invitation under z as "originally filed" and are not annexed to this report since they do not contain a	
**	and 7			
	ann re	грисстен	nt sheet containing such amendments must be reterred to under item. Land annexed to this re	zport.

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement					
1. Statement					
Novelty (N)	Claims	1-12,14-21	YES		
	Claims		NO		
Inventive step (IS)	Claims		YES		
	Claims	1-12,14-21	NO		
Industrial applicability (IA)	Claims	1-12,14-21	YES		
	Claims		NO		

#### 2. Citations and explanations

Claims 1, 3, and 16 do not appear to involve an inventive step in view of documents 1 and 4. One skilled in the art could have easily arrived at applying the semiautomatic testing technology described in document 4 to the apparatus described in document 1.

Claim 2 does not appear to involve an inventive step in view of documents 1, 2, and 4. One skilled in the art could have easily arrived at applying the semiautomatic testing technology described in document 4 and the technology for using a G signal described in document 2 to the apparatus described in document 1.

Claims 4 and 17 do not appear to involve an inventive step in view of documents 1, 3, and 4. One skilled in the art could have easily arrived at applying the ultraviolet cut filter described in document 3 and the semiautomatic testing technology described in document 4 to the apparatus described in document 1.

Claim 5 does not appear to involve an inventive step in view of documents 1 and 8. One skilled in the art could have easily arrived at applying the technology for using color as a judgement factor described in document 8 to the apparatus described in document 1.

Claim 6 does not appear to involve an inventive step in view of documents 1 and 5. One skilled in the art could have easily arrived at using the polarizing filter described in document 5 in the apparatus described in document 1.

Claims 7, 8, 20, and 21 do not appear to involve an inventive step in view of documents 1, 4 and 6. One skilled in the art could have easily arrived at applying the semiautomatic testing technology described in document 4 and the scale described in document 6 to the apparatus described in document 1.

Claims 9 to 12 do not appear to involve an inventive step in view of documents 1 and 4. One skilled in the art could have easily arrived at applying the semiautomatic testing technology described in document 4 to the apparatus described in document 1.

Claims 14, 15, and 19 do not appear to involve an inventive step in view of documents 1, 4 and 7. One skilled in the art could have easily arrived at applying the semiautomatic technology described in document 4 and the liquid penetration testing technology described in document 7 to the apparatus described in document 1.

Claim 18 does not appear to involve an inventive step in view of documents 1 to 4. One skilled in the art could have easily arrived at applying the technology for using a G signal described in document 2, the

#### Supplemental Box

(To be used when the space in any of the preceding boxes is not sufficient)

#### Continuation of Box V (Citations and explanations):

ultraviolet cut filter described in document 3, and the semiautomatic testing technology described in document 4 to the apparatus described in document 1.

Document 1: JP, 1-109249, A (Kurt Sauerwein), 26 April 1989 (26.04.89), page 4, upper left column, line 8 to upper right column, line 12 & EP, 309758, B1 & US, 5047851, A

Document 2: JP, 63-225153, A (Omron Tateishi Electronics Co.), 20 September 1988 (20.09.88), page 3, upper left column, line 19 to upper right column, line 7 (Family: none)

Document 3: JP, 5-107202, A (Hitachi, Ltd.), 27 April 1993 (27.04.93), column 2, line 33 to line 47 (Family: none)

Document 4: JP, 8-2601, Y2 (Meidensha Corp.), 29 January 1996 (29.01.96), column 5, lines 2 to 11 (Family: none)

Document 5: JP, 10-300688, A (Fujimori Kogyo Co., Ltd.), 13 November 1998 (13.11.98), column 2, line 9 to line 49 (Family: none)

Document 6: JP, 6-118062, A (Toshiba Corp.), 28 April 1994 (28.04.94), column 1, lines 2 to 18 (Family: none)

Document 7: JP, 4-12258, A (Marktee Corp.), 16 January 1992 (16.01.92), page 2, upper left column, line 20 to upper right column, line 13 (Family: none)

Document 8: JP, 6-300739, A (Nippon Steel Corp.), 28 October 1994 (28.10.94), full text (Family: none)

Document 9: JP, 7-244020, A (Marktec Corp.), 19 September 1995 (19.09.95), full text (Family: none)

Document 10: JP, 7-333197, A (Nippon Steel Corp.). 22 December 1995 (22.12.95), full text (Family: none)

#### INTERNATIONAL SEARCH REPORT

International application No.
PCT/JP99/01676

A. CLASSIFICATION OF SUBJECT MATTER Int.Cl <sup>6</sup> G01N27/84, G01N21/91				
<del></del>	o International Patent Classification (IPC) or to both no S SEARCHED	ational classification and IPC		
Int.	locumentation searched (classification system followed C1 <sup>6</sup> G01N27/72-27/90, G01N21/9	1		
Jits	tion searched other than minimum documentation to the uyo Shinan Koho 1926–1999 i Jitsuyo Shinan Koho 1971–1999	e extent that such documents are include Toroku Jitsuyo Shinan Koh Jitsuyo Shinan Toroku Koh	o 1994 <b>–</b> 1999	
	lata base consulted during the international search (nar	me of data base and, where practicable, so	earch terms used)	
Category*	Citation of document, with indication, where ap		Relevant to claim No.	
X	JP, 1-109249, A (Kurt Sauers	wein),	1, 3, 5, 16	
Y	26 April, 1989 (26. 04. 89), Page 4, upper left column, 1		2, 4, 6-15, 17-21	
	column, line 12 & EP, 309758, B1 & US, 504		17-21	
Y	JP, 63-225153, A (Omron Tate	eisi Electronics Co.),	2, 18	
	20 September, 1988 (20. 09.	88),	·	
	Page 3, upper left column, l column, line 7 (Family: none			
Y	JP, 5-107202, A (Hitachi, Ltd	d.),	4, 17, 18	
	27 April, 1993 (27. 04. 93),	,,		
	Column 2, lines 33 to 47 (Fa	amily: none)		
Y	JP, 8-2601, Y2 (Meidensha Co 29 January, 1996 (29. 01. 96	),	4, 9-15, 17-19	
	Column 5, lines 2 to 11 (Far	mily: none)		
X Furthe	er documents are listed in the continuation of Box C.	See patent family annex.		
	categories of cited documents:	"T" later document published after the inter		
	ent defining the general state of the art which is not cred to be of particular relevance	date and not in conflict with the applica the principle or theory underlying the in		
4- 4	document but published on or after the international filing date	"X" document of particular relevance; the cl	aimed invention cannot be	
	ent which may throw doubts on priority claim(s) or which is establish the publication date of another citation or other	considered novel or cannot be considere when the document is taken alone	ed to involve an inventive step	
special reason (as specified)  "Y"  document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is				
means combined with one or more other such documents, such combination				
"P" document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family				
	Date of the actual completion of the international search 18 May, 1999 (18. 05. 99)  Date of mailing of the international search report 25 May, 1999 (25. 05. 99)			
	nailing address of the ISA/	Authorized officer		
Japa	nese Patent Office			
Facsimile No.		Telephone No.		



International application No.
PCT/JP99/01676

tion). DOCUMENTS CONSIDERED TO BE RELEVANT	
Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
JP, 10-300688, A (Fujimori Kogyo Co.,Ltd), 13 November, 1998 (13. 11. 98), Column 2, lines 9 to 49 (Family: none)	6
<pre>JP, 6-118062, A (Toshiba Corp.), 28 April, 1994 (28. 04. 94), Column 1, lines 2 to 18 (Family: none)</pre>	7, 8, 20, 21
JP, 4-12258, A (Marktec Corp.), 16 January, 1992 (16. 01. 92), Page 2, upper left column, line 20 to upper righ column, line 13 (Family: none)	13-15, 19 t
<pre>JP, 6-50941, A (Kobe Steel,Ltd.), 25 February, 1994 (25. 02. 94) (Family: none)</pre>	1-21
<pre>JP, 58-82147, A (Toshiba Corp.), 17 May, 1983 (17. 05. 83) (Family: none)</pre>	1-21
<pre>JP, 3-181807, A (Omron Corp.), 7 August, 1991 (07. 08. 91) (Family: none)</pre>	1-21
JP, 4-223262, A (Nippon Denji Keisokuki K.K.), 13 August, 1992 (13. 08. 92) (Family: none)	1-21
JP, 1-212339, A (Orbot Systems, Ltd.), 25 August, 1989 (25. 08. 89) & EP, 279654, A2 & US, 4758888, A	1-21
<pre>JP, 6-300739, A (Nippon Steel Corp.), 28 October, 1994 (28. 10. 94) (Family: none)</pre>	1-21
	Citation of document, with indication, where appropriate, of the relevant passages  JP, 10-300688, A (Fujimori Kogyo Co.,Ltd), 13 November, 1998 (13. 11. 98), Column 2, lines 9 to 49 (Family: none)  JP, 6-118062, A (Toshiba Corp.), 28 April, 1994 (28. 04. 94), Column 1, lines 2 to 18 (Family: none)  JP, 4-12258, A (Marktec Corp.), 16 January, 1992 (16. 01. 92), Page 2, upper left column, line 20 to upper right column, line 13 (Family: none)  JP, 6-50941, A (Kobe Steel,Ltd.), 25 February, 1994 (25. 02. 94) (Family: none)  JP, 58-82147, A (Toshiba Corp.), 17 May, 1983 (17. 05. 83) (Family: none)  JP, 3-181807, A (Omron Corp.), 7 August, 1991 (07. 08. 91) (Family: none)  JP, 4-223262, A (Nippon Denji Keisokuki K.K.), 13 August, 1992 (13. 08. 92) (Family: none)  JP, 1-212339, A (Orbot Systems, Ltd.), 25 August, 1989 (25. 08. 89) & EP, 279654, A2 & US, 4758888, A  JP, 6-300739, A (Nippon Steel Corp.), 28 October, 1994 (28. 10. 94) (Family: none)

#### 国際調査報告

国際出願番号 PCT/JP99/01676

A. 発明の属する分野の分類(国際特許分類(IPC)) Int.Cl. <sup>e</sup> GOlN 27/84					
Int.Cl.	GO1N 21/91				
B. 調査を	行った分野				
調査を行った	最小限資料(国際特許分類(IPC))				
	GOIN 27/72 - 27/90				
Int. Cl.	GO1N 21/91				
日本国第 日本国纪 日本国蜀	最小限資料以外の資料で調査を行った分野に含まれるもの 日本国実用新案公報 1926-1999年 日本国公開実用新案公報 1971-1999年 日本国登録実用新案公報 1994-1999年 日本国実用新案登録公報 1996-1999年				
国際調査で使	用した電子データベース(データベースの名称、	調査に使用した用語)			
C. 関連す	ると認められる文献				
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連すると	きは、その関連する箇所の表示	関連する 請求の範囲の番号		
X	TP 1-109249 A(クルト・ザウワーヴァ	イン) 26.4月.1989 (26.04.89)	1, 3, 5, 16		
Ÿ	第4頁左上欄第8行-右上欄第12行 & 的	P, 309758, B1 & US, 5047851, A	2, 4, 6–15, 17–21		
Y	JP,63-225153,A(立石電機株式会社)2 上欄第19行-右上欄第7行(ファミリー	0. 9月. 1988 (20. 09. 88) 第3頁左 なし)	2, 18		
Y	JP, 5-107202, A(株式会社日立製作所) 第33-47行(ファミリーなし)	27. 4月. 1993 (27. 04. 93) 第2欄	4, 17, 18		
Y	Y JP,8-2601,Y2(株式会社明電舎)29.1月.1996(29.01.96),第5欄第2-1 4,9-15, 1行(ファミリーなし) 17-19				
x C欄の続	きにも文献が列挙されている。	□ パテントファミリーに関する別	紙を参照。		
「A」特に関 もの 「E」国際出 以後に 「L」優先格 日若し	のカテゴリー  連のある文献ではなく、一般的技術水準を示す  願日前の出願または特許であるが、国際出願日  公表されたもの  主張に疑義を提起する文献又は他の文献の発行  くは他の特別な理由を確立するために引用する (理由を付す)	の日の後に公表された文献 「T」国際出願日又は優先日後に公表 て出願と矛盾するものではなく、 論の理解のために引用するもの 「X」特に関連のある文献であって、 の新規性又は進歩性がないと考 「Y」特に関連のある文献であって、 上の文献との、当業者にとって	、発明の原理又は理 当該文献のみで発明 えられるもの 当該文献と他の1以 自明である組合せに		
「O」 口頭による開示、使用、展示等に含及する文献 よって進歩性がないと考えられるもの 「P」 国際出願日前で、かつ優先権の主張の基礎となる出願 「&」 同一パテントファミリー文献					
国際調査を完	18.05.99	国際調査報告の発送日 25.0	5.99		
	の名称及びあて先 国特許庁(ISA/JP)	特許庁審査官(権限のある職員) 米澤 英彦 日	2W 9506		
東京	郵便番号100-8915 「都千代田区霞が関三丁目4番3号	電話番号 03-3581-1101	内線 3292		

国際調査報告

国際出願番号 PCT/JP99/01676

C (続き).	関連すると認められる文献	
引用文献の カテゴリー*	引用文献名 及び一部の箇所が関連するときは、その関連する箇所の表示	関連する 請求の範囲の番号
D - 2 - 1 - 1 - 1	5 用文献名 及び 部の固分が規定するととは、この規定する個がつない	911
Y	JP, 10-300688, A(藤森工業株式会社) 13.11月.1998 (13.11.98) 第2欄 第9-49行 (ファミリーなし)	6
Y	JP,6-118062,A(株式会社東芝)28.4月.1994(28.04.94)第1欄第2-18 行(ファミリーなし)	7, 8, 20, 21
Y	JP,4-12258,A(マークテック株式会社)16.1月.1992(16.01.92)第2頁 左上欄第20行-右上欄第13行(ファミリーなし)	13-15, 19
A	JP,6-50941,A(株式会社神戸製鋼所)25.2月.1994(25.02.94)(ファミリーなし)	1-21
A	JP, 58-82147, A(株式会社東芝)17.5月.1983(17.05.83)(ファミリーなし)	1-21
A	JP, 3-181807, A(オムロン株式会社)7.8月.1991(07.08.91)(ファミリーなし)	1-21
A	JP, 4-223262, A(日本電磁計測器株式会社)13.8月.1992(13.08.92) (ファミリーなし)	1-21
A	JP, 1-212339, A(オーバット・システムズ・リミテッド) 25.8月.1989 (25.08.89) & EP, 279654, A2 & US, 4758888, A	1-21
A	JP,6-300739,A(新日本製鐵株式会社)28.10月.1994(28.10.94)(ファミリーなし)	1-21

殿

出願人代理人

作田 康夫


あて名

T 100-8220

東京都千代田区丸の内一丁目5番1.

株式会社日立製作所内





РСТ

国際調査報告又は国際調査報告を作成しない旨 の決定の送付の通知書

> (法施行規則第41条) [PCT規則44.1]

	<b>25.05.99</b>
出願人又は代理人 の書類記号 219900143971	今後の手続きについては、下記1及び4を参照。
国際出願番号 PCT/JP99/01676	国際出願日 (日.月.年) 31.03.99
出願人 (氏名又は名称) 株式会社 日立製作所	

XX :¥ 口

1. 図 国際調査報告が作成されたこと、及びこの送付書とともに送付することを、出願人に通知する。

PCT19条の規定に基づく補正書及び説明書の提出

'Sg. 5.

出願人は、国際出願の請求の範囲を補正することができる(PCT規則46参照)。

いつ 補正書の提出期間は、通常国際調査報告の送付の日から2月である。

詳細については添付用紙の備考を参照すること。

どこへ 直接次の場所へ

The International Bureau of WIPO 34, chemin des Colombettes

1211 Geneva 20, Switzerland

Facsimile No.: (41-22)740.14.35

詳細な手続については、添付用紙の備考を参照すること。

2.	国際調査報告が作成されないこと、及び法第8条第2項 (PCT17条(2)(a)) の規定による国際調査報告を作成しない旨の決定をこの送付書とともに送付することを、出願人に通知する。
_	とはない PD   マー・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・

3. | 法施行規則第44条 (PCT規則40.2) に規定する追加手数料の納付に対する異議の申立てに関して、出願人に下記の点を通知する。

型 異議の申立てと当該異議についての決定を、その異議の申し立てと当該異議についての決定の両方を指定官庁 へ送付することを求める出願人の請求とともに、国際事務局へ送付した。

─ 当該異議についての決定は、まだ行われていない。決定されしだい出願人に通知する。

4. 今後の手続: 出願人は次の点に注意すること。

優先日から18月経過後、国際出願は国際事務局によりすみやかに国際公開される。出願人が公開の延期を望むときは、国際出願又は優先権の主張の取下げの通知がPCT規則90の2.1及び90の2.3にそれぞれ規定されているように、国際公開の事務的な準備が完了する前に国際事務局に到達しなければならない。

出願人が優先日から30月まで(官庁によってはもっと遅く)国内段階の開始を延期することを望むときは、優先日から19月以内に、国際予備審査の請求書が提出されなければならない。

国際予備審査の請求書若しくは、後にする選択により優先日から19箇月以内に選択しなかった又は第Ⅱ章に拘束されないため選択できなかったすべての指定官庁に対しては優先日から20月以内に、国際段階の開始のための所定手続を取らなければならない。

名称及びあて名

日本国特許庁 (ISA/JP)

郵便番号100

東京都千代田区霞が関三丁目4番3号

権限のある職員

特許庁長官

電話番号 03-3581-1101 内線 3292

2W 9506

## 注意

- 1. 国際調査報告の発送日から起算する条約第19条(1)及び規則46.1に従う国際事務局への補正期間に注意してください。
- 2. 条約22条(2) に規定する期間に注意してください。
- 3. 文献の写しの請求について

国際調査報告に記載した文献の複写

特許庁にこれらの引用文献の写しを請求することもできますが、日本特許情報機構でもこれらの引用文献の複写物を販売しています。日本特許情報機構に引用文献の複写物を請求する場合は下記の点に注意してください。

#### 「申込方法]

- (1) 特許 (実用新案・意匠) 公報については、下記の点を明記してください。
  - ○特許・実用新案及び意匠の種類
  - ○出願公告又は出願公開の年次及び番号(又は特許番号、登録番号)
  - ○必要部数
- (2) 公報以外の文献の場合は、下記の点に注意してください。
  - ○国際調査報告の写しを添付してください(返却します)。

#### [申込み及び照会先]

〒135 東京都江東区東陽4-1-7 佐藤ダイヤビル 財団法人 日本特許情報機構 サービス課 TEL 03-5690-3900

注意 特許庁に対して文献の写しの請求をすることができる期間は、国際出願日から7年です。

#### 様式PCT/ISA/220の備考

この備考は、PCT19条の規定に基づく補正書の提出に関する基本的な指示を与えるためのものである。この備考は特許協力条約並びにこの条約に基づく規則及び実施細則の規定に基づいている。この備考とそれらの規定とが相違する場合には、後者が適用される。詳細な情報については、WIPOの出版物であるPCT出願人の手引も参照すること。

#### PCT19条の規定に基づく補正書の提出に関する指示

出顧人は、国際調査報告を受領した後、国際出顧の請求の範囲を補正する機会が一回ある。しかし、国際出顧のすべての部分(請求の範囲、明細書及び図面)が、国際予備審査の手続においても補正できるもので、例えば出願人が仮保護のために補正書を公開することを希望する場合又は国際公開前に請求の範囲を補正する別の理由がある場合を除き、通常PCT19条の規定に基づく補正書を提出する主要はないことを強調しておく。さらに、仮保護は一部の国のみで与えられるだけであることも強調しておく。

#### 補正の対象となるもの

PCT19条の規定により請求の範囲のみ補正することができる。

国際段階においてPCT34条の規定に基づく国際予備審査の手続きにおいて請求の範囲を(更に)補正することができる。

明細書及び図面は、PCT34条の規定に基づく国際予備審査の手続においてのみ補正することができる。

国内段階に移行する際、PCT28条(又はPCT41条)の規定により、国際出願のすべての部分を補正することができる。

#### いつ

国際調査報告の送付の日から2月又は優先日から16月の内どちらか遅く満了するほうの期間内。しかし、その期間の満了後であっても国際公開の技術的な準備の完了前に国際事務局が補正を受領した場合には、その補正書は、期間内に受理されたものとみなすことを強調しておく(PCT規則46.1)。

#### 補正書を提出すべきところ

補正書は、国際事務局のみに提出でき、受理官庁又は国際調査機関には提出してはいけない(PCT規則46.2)。 国際予備審査の請求書を提出した/する場合については、以下を参照すること。

#### どのように

1以上の請求の範囲の削除、1以上の新たな請求の範囲の追加、又は1以上の請求の範囲の記載の補正による。 差替え用紙は、補正の結果、出願当初の用紙と相違する請求の範囲の各用紙毎に提出する。

差替え用紙に記載されているすべての請求の範囲には、アラビア数字を付さなければならない。請求の範囲を削除する場合、その他の請求の範囲の番号を付け直す必要はない。請求の範囲の番号を付け直す場合には、連続番号で付け直さなければならない(PCT実施細則第:205号(b))。

補正は国際公開の言語で行う。

補正書にどのような書類を添付しなければならないか

書簡 (PCT実施細則第205号(b))

補正書には書簡を添付しなければならない。

書簡は国際出願及び補正された請求の範囲とともに公開されることはない。これを「PCT19条(1)に規定する説明書」と混同してはならない(「PCT19条(1)に規定する説明書」については、以下を参照)。

書館は、英語又は仏語を選択しなければならない。ただし、国際出願の言語が英語の場合、書館は英語で、仏語の場合 、書館は仏語で記載しなければならない。

書簡には、出願時の請求の範囲と補正された請求の範囲との相違について表示しなければならない。特に、国際出願に記載した各請求の範囲との関連で次の表示 (2以上の請求の範囲についての同一の表示する場合は、まとめることができる。) をしなければならない。

- (i) この請求の範囲は変更しない。
- (ii) この請求の範囲は削除する。
- (iii) この請求の範囲は追加である。
- (iv) この請求の範囲は出願時の1以上の請求の範囲と差し替える。
- (v) この請求の範囲は出願時の請求の範囲の分割の結果である。

#### 様式PCT/ISA/220の備考(続き)

次に、添付する書簡中での、補正についての説明の例を示す。

- 1. [請求の範囲の一部の補正によって請求の範囲の項数が48から51になった場合]: "請求の範囲1-29、31、32、34、35、37-48項は、同じ番号のもとに補正された請求の範囲と置き換えられた。請求の範囲30、33及び36項は変更なし。新たに請求の範囲49-51項が追加された。"
- 2. [請求の範囲の全部の補正によって請求の範囲の項数が15から11になった場合] : "請求の範囲1-15項は、補正された請求の範囲1-11項に置き換えられた。"
- 3. [原請求の範囲の項数が14で、補正が一部の請求の範囲の削除と新たな請求の範囲の追加を含む場合]: "請求の範囲1-6及び14項は変更なし。請求の範囲7-13は削除。新たに請求の範囲15、16及び17項を追加。"又は

"請求の範囲7-13は削除。新たに請求の範囲15、16及び17項を追加。その他の全ての請求の範囲は変更なし。"

4. [各種の補正がある場合]:

"請求の範囲 1-10 項は変更なし。請求の範囲 11-13、18 及び 19 項は削除。請求の範囲 14、15 及び 16 項は補正された請求の範囲 14 項に置き換えられた。請求の範囲 17 項は補正された請求の範囲 15、16 及び 17 項に分割された。新たに請求の範囲 20 及び 21 項が追加された。"

"PCT19条(1)の規定に基づく説明書" (PCT規則46.4)

補正書には、補正並びにその補正が明細書及び図面に与える影響についての説明書を提出することができる(明細書及び図面はPCT19条(1)の規定に基づいては補正できない)。

説明書は、国際出願及び補正された請求の範囲とともに公開される。

説明書は、国際公開の言語で作成しなければならない。

説明書は、簡潔でなければならず、英語の場合又は英語に翻訳した場合に500語を越えてはならない。

説明書は、出願時の請求の範囲と補正された請求の範囲との相違を示す書簡と混同してはならない。説明書を、その書 簡に代えることはできない。説明書は別紙で提出しなければならず、見出しを付すものとし、その見出しは"PCT1 9条(1)の規定に基づく説明書"の語句を用いることが望ましい。

説明書には、国際調査報告又は国際調査報告に列記された文献との関連性に関して、これらを誹謗する意見を記載して はならない。国際調査報告に列記された特定の請求の範囲に関連する文献についての言及は、当該請求の範囲の補正に 関してのみ行うことができる。

#### 国際予備審査の請求書が提出されている場合

PCT19条の規定に基づく補正書及び添付する説明書の提出の時に国際予備審査の請求書が既に提出されている場合には、出願人は、補正書(及び説明書)を国際事務局に提出すると同時にその写し及び必要な場合、その翻訳文を国際予備審査機関にも提出することが望ましい(PCT規則55.3(a)、62.2の第1文を参照)。詳細は国際予備審査請求書(PCT/IPEA/401)の注意書参照。

国内段階に移行するための国際出願の翻訳に関して

国内段階に移行する際、PCT19条の規定に基づいて補正された請求の範囲の翻訳を出願時の請求の範囲の翻訳の代わりに又は追加して、指定官庁/選択官庁に提出しなければならないこともあるので、出願人は注意されたい。

指定官庁/選択官庁の詳細な要求については、PCT出願人の手引きの第Ⅱ巻を参照。

# 発信人 日本国特許庁(国際予備審査機関)


#### 出願人代理人

作田 康夫



あて名

〒 100-8220 東京都千代田区丸の内一丁目5番1号 株式会社日立製作所内



PCT

国際予備審査報告の送付の通知書

(法施行規則第57条) [PCT規則71.1]

発送日 (日.月.年)

25.01.00

出願人又は代理人

の書類記号

219900143971

重要な通知

国際出願番号

PCT/JP99/01676

国際出願日

(日.月.年) 31.03.99

優先日

(日.月.年)

出願人(氏名又は名称)

#### 株式会社日立製作所

- 1. 国際予備審査機関は、この国際出願に関して国際予備審査報告及び付属書類が作成されている場合には、それらをこの送付書とともに送付することを、出願人に通知する。
- 2. 国際予備審査報告及び付属書類が作成されている場合には、すべての選択官庁に通知するために、それらの写しを国際事務局に送付する。
- 3. 選択官庁から要求があったときは、国際事務局は国際予備審査報告(付属書類を除く)の英語の翻訳文を作成し、それをその選択官庁に送付する。

#### 4. 注 意

出願人は、各選択官庁に対し優先日から30月以内に(官庁によってはもっと遅く)所定の手続(翻訳文の提出及び国内手数料の支払い)をしなければならない(PCT39条(1))(様式PCT/IB/301とともに国際事務局から送付された注を参照)。

国際出願の翻訳文が選択官庁に提出された場合には、その翻訳文は、国際予備審査報告の付属書類の翻訳文を含まなければならない。

この翻訳文を作成し、関係する選択官庁に直接送付するのは出願人の責任である。

選択官庁が適用する期間及び要件の詳細については、PCT出願人の手引き第Ⅱ巻を参照すること。

名称及びあて名

日本国特許庁 (IPEA/JP) 郵便番号100-8915 東京都千代田区霞が関三丁目4番3号 権限のある職員

特許庁長官

2 W 9

9506

電話番号 03-3581-1101 内線 3252

1. 文献の写しの請求について

国際予備審査報告に記載された文献であって国際調査報告に記載されていない文献の 複写

特許庁にこれらの引用文献の写しを請求することができますが、日本特許情報機構でもこれらの引用文献の複写物を販売しています。日本特許情報機構に引用文献の複写物を請求する場合は下記の点に注意してください。

#### 〔申込方法〕

- (1) 特許(実用新案・意匠)公報については、下記の点を明記してください。
  - ○特許・実用新案及び意匠の種類
  - ○出願公告又は出願公開の年次及び番号(又は特許番号、登録番号)
  - ○必要部数
- (2) 公報以外の文献の場合は、下記の点に注意してください。
  - ○国際予備審査報告の写しを添付してください(返却します)。

#### [申込み及び照会先]

- 〒100 東京都千代田区霞が関3-4-2 商工会館・弁理士会館ビル 財団法人 日本特許情報機構 サービス課 TEL 03-3503-3900
- 注) 特許庁に対して文献の写しの請求をすることができる期間は、国際出願日から7年です。
- 2. 各選択官庁に対し、国際出願の写し(既に国際事務局から送達されている場合は除く)及びその所定の翻訳文を提出し、国内手数料を支払うことが必要となります。 その期限については各国ごとに異なりますので注意してください。(条約第22条、第39条及び第64条(2)(a)(i)参照)



 $P \subset T$ 

#### 国際予備審査報告

(法第12条、法施行規則第56条) [PCT36条及びPCT規則70]

REC'D	2 8	JAN 2000	
MIPC	)	PCT	

電話番号 03-3581-1101 内線 3252

出願人又は代理人 の書類記号 219900143971		今後の手続きについては、国際予備審査報告の送付通知(様式PCT/ IPEA/416)を参照すること。		
国際出願番号 PCT/JP99/01676	国際出願日 (日,月,年) 31,03.5	優先日 (日.月.年)		
国際特許分類 (IPC)	Int. Cl. 7 GOIN 27/84 Int. Cl. 7 GOIN 21/91			
出願人 (氏名又は名称)	株式会社日立製作所			
2. この国際予備審査報告は、この x この国際予備審査報告には 査機関に対してした訂正を	)表紙を含めて全部で 4 は、附属書類、つまり補正されて、この で含む明細書、請求の範囲及びデスはB C T 実施細則第607号参照)	り報告の基礎とされた及び/又はこの国際予備審		
IV	基礎 産業上の利用可能性についての国際予 見定する新規性、進歩性又は産業上の利	備審査報告の不作成 ・ ・ 利用可能性についての見解、それを裏付けるため		
国際予備審査の請求書を受理した日 21 05.99	国際子備審。	査報告を作成した日 13.01.00		
名称及びあて先 日本国特許庁(IPEA/ 郵便番号100-89)	JP)	宮 (権限のある職員) 2W 9506 英彦 印		

東京都手代田囮霞が関三丁目4番3号

Ι.		国際予備審查執	告の基礎	
1.	Ľ		「直報告は下記の出願書類に基づいて作成された。(法第6条(PCT14条)の規定に基づく命令に提出された差し替え用紙は、この報告書において「出願時」とし、本報告書には孫付しない。 16,70-17)	_ _
		出願時の国際	<b>生出願書類</b>	
	x	明細書 明細書 明細書	第       1-15       ページ、       出願時に提出されたもの         第       ページ、       国際予備審査の請求書と共に提出されたもの         第       付の書簡と共に提出されたもの	<i>T</i> ,)
	x	請求の範囲 請求の範囲 請求の範囲 請求の範囲	第     3,4,6,8,9,15-21     頃、     出願時に提出されたもの       第     項、     PCT19条の規定に基づき補正されたもの       第     項、     国際予備審査の請求書と中に提出されたもの       第     1,2,5,7,10-12,14     項、     30.08.99     何の書簡と共に提出されたもの	Çι
	x	区面 区面 区面	第     1/22-22/22     ページ、     出願時に提出されたもの       第     ページ、     国際予備審査の請求書と共に提出されたもの       付の書簡と共に提出されたもの	Ŋ
		明細書の配列 明細書の配列 明細書の配列		Ď
2.	١	上記の出願書籍	の言語は、下記に示す場合を除くほか、この国際出願の言語である。	
	[	国際調査 РСТ規	下記の言語である語である。 のために提出されたPCT規則23.1(b)にいう翻訳文の言語 例48.3(b)にいう国際公開の言語 審査のために提出されたPCT規則55.2または55.3にいう翻訳文の言語	
3. この国際出願は、ヌクレオチド又はアミノ酸配列を含んでおり、次の配列表に基つき国際予備審査報告を行った。  □ この国際出願に含まれる書面による配列表 □ この国際出願と共に提出されたフレキシブルディスクによる配列表 □ 出願後に、この国際予備審査(または調査)機関に提出された書面による配列表 □ 出願後に、この国際予備審査(または調査)機関に提出されたフレキシブルディスクによる配列表 □ 出願後に提出した書面による配列表が出願時における国際出願の開示の範囲を超える事項を含まない旨の陳述書の提出があった □ 書面による配列表に記載した配列とフレキシブルディスクによる配列表に記録した配列が同一である旨の陳述書の提出があった。				
4.		明細書	記の書類が削除された。 第ベージ 第項 図面の第 ベージノ区	
5.		この国際予備 れるので、そ	「審査報告は、補充欄に示したように、補正が出願時における開示の範囲を越えてされたものと認めらい補正かされなかったものとして作成した。(PCT規則70.2(c) この補正を含む差し替え用紙は上る判断の際に考慮しなければならず、本報告に添付する。)	

 $1 - 1 \ 2$ ,  $1 \ 4 - 2 \ 1$ 

	ESTON 1 VIOLET TO THE			
V .	新規性、進歩性又は産業上の利用可能 文献及び説明	能性についての法第12条 	(PCT35条(2)) に定め	る見解、それを褒付ける
1.	見解			
	新規性(N)	請求の範囲 請求の範囲	1-12, 14	<u>-21</u> 有無
	進歩性(IS)	請求の範囲ー	1-12 14	

#### 2. 文献及び説明 (PCT規則70.7)

産業上の利用可能性(IA)

請求の範囲1、3、16は、文献1、4により進歩性を有しない。文献4により教示された半自動検査技術を、文献1の装置に用いることは当業者にとって容易である。

請求の範囲

請求の範囲 2 は、文献 1 、 2 、 4 により進歩性を有しない。文献 4 により教示された 半自動検査技術と、文献 2 により教示された G 信号を用いる技術を、文献 1 の装置に用いることは当業者にとって容易である。

請求の範囲4,17は、文献1,3,4により進歩性を有しない。文献3により教示された紫外線カットフィルタと、文献4により教示された半自動検査技術を、文献1の装置に用いることは当業者にとって容易である。

請求の範囲5は、文献1、8により進歩性を有しない。文献8により教示された色を判断に用いる技術を、文献1の装置に用いることは当業者にとって容易である。

請求の範囲6は、文献1,5により進歩性を有しない。文献5により教示された偏光フィルタを、文献1の装置に用いることは当業者にとって容易である。

請求の範囲 7、 8、 20、 21は、文献 1、 4、 6により進歩性を有しない。文献 4 により 教示された半自動検査技術と、文献 6 により 教示されたスケールを、文献 1 の 装置に用いることは当業者にとって容易である。

請求の範囲 $9\sim12$ は、文献1, 4により進歩性を有しない。文献4により教示された半自動検査技術を、文献1の装置に用いることは当業者にとって容易である。

請求の範囲 14, 15, 19は、文献 1, 4, 7により進歩性を有しない。文献 4により教示された半自動化技術と、文献 7により教示された浸透探傷技術を、文献 1の装置に用いることは当業者にとって容易である。

請求の範囲18は、文献1~4により進歩性を有しない。文献2により教示されたG信号を用いる技術、文献3により教示された紫外線カットフィルタ、文献4により教示された半自動検査技術を、文献1の装置に用いることは当業者にとって容易である。

補充欄(いずれかの欄の大きさが足りない場合に使用すること)

#### 第 V 欄の続き

文献 1 : JP, 1-109249, A (ウルト・ザウワーヴァイン) 26.4月.1989 (26.04.89) 第4頁左上欄第8行-右上欄第12行 & EP, 309758, B1 & US, 5047851, A

文献 2: JP, 63-225153, A(立石電機株式会社) 20.9月.1988 (20.09.88) 第3頁左上欄第19行-右上欄第7行(ファミリーなし)

文献 3 : JP, 5-107202, A(株式会社日立製作所) 27.4月.1993 (27.04.93) 第2欄第33-47行 (ファミリーなし)

文献4: JP, 8-2601, Y2(株式会社明電舎)29.1月.1996(29.01.96),第5欄第2-11行(ファミリーなし)

文献 5 : JP, 10-300688, A(藤森工業株式会社) 13.11月, 1998 (13.11.98) 第2欄第9-49行 (ファミリーなし)

文献 6 : JP, 6-118062, A (株式会社東芝) 28. 4月. 1994 (28. 04. 94) 第1欄第2-18行 (ファミリーなし)

文献 7: JP, 4-12258, A(マーゥテック株式会社) 16.1月.1992(16.01.92) 第2頁左上欄第20行-右上欄第13行(ファミリーなし)

文献8: JP, 6-300739, A(新日本製鐵株式会社)28. 10月. 1994(28. 10. 94)全文(ファミリーなし)

文献 9: JP, 7-244020, A(マークテック株式会社) 19.09月.1995(19.09.95) 全文(ファミリーなし)

文献10: JP, 7-333197, A(新日本製鐵株式会社)22.12月.1995(22.12.95)全文(ファミリーなし)

### 請求の範囲

1. (補正後) 磁粉探傷法による欠陥検査方法であって、カラービデナカメラを用いて検査対象物の被検査面を振像し、診撮像して得た画像を用いて前記被検査面の欠陥候補を抽出し、診抽出した欠陥個補の画像を画面上に表示し、診表示した欠陥個補の画像の中から欠陥を抽出することを特徴とする欠陥検査方法。

2. (補正後) 前記カラーヒテオカメラで撮像して得た画像のうち、RG Bのカラーの三原色の信号うちの緑(G)の信号成分<u>の輝度に関する情報</u> を用いて前記被検査面の欠陥を検査することを特徴とする特許請求の範 囲第1項に記載り欠陥検査方法

10

15

20

25

3.磁粉探傷法による欠陥検査方法であって、蛍光磁粉を含む溶液を電布 した検査対象物の被検査面に紫外光を照射し、該紫外光を照射した被検査 面をカラービデナカメラで撮像し、該撮像して得た画像を前記紫外光を照 射した被検査面を目視観察して得られる像とほぼ同じ状態で画面上に表 示することを特徴とする欠陥検査方法。

4.磁粉探傷法による欠陥検査方法であって、蛍光磁粉を含む溶液を重布した検査対象物の被検査面に紫外光を照射し、該紫外光を照射した被検査面を紫外線カットアイルタを介してカラービデオカメラで撮像し、該撮像して得た画像から欠陥および欠陥候補を抽出し、該抽出した欠陥および欠陥候補の画像を画面上に表示することを特徴とする欠陥検査方法

5. (補正後) 浸透探傷法による欠陥検査方法であって、カラービデオカ ィラを用いて検査対象物の被検査面を撮像し、診撮像して得た画像<u>の色度</u> 及び色相に関する情報を用いて前記被検査面の欠陥を検査することを特 徴とする欠陥検査方法

6. 浸透探傷法による大陥検査方法であって、検査対象物の被検査面を偏

光光で照明し、該偏光光で照明された被検査面を偏光フェルタを介してカラービデナカメラで撮像し、該撮像して得た画像から前記被検査面の欠陥候補を抽出し、該抽出した欠陥候補の画像を表示することを特徴とする欠陥検査方法。

- 5 7. (補正後) <u>前記</u>検査対象物の被検査面をカラーヒデオカイラで該カラービデオカメラカ視野内に該視野の位置情報を入れて撮像し、該撮像して 得た画像から前記被検査面内の欠陥候補を抽出し、該抽出した欠陥候補の 画像を前記視野の位置情報と共に画面上に表示することを特徴とする<u>請</u> 求の範囲1、4、6の何れかに記載の欠陥検査方法
- 10 8. 前記視野の位置情報が、前記視野内に配置されたスケールによるものであることを特徴とする特許請求の範囲第7項に記載の欠陥検査方法。 9. 前期被検査面を、前記カラーピテオカメラで、複数の視野にわたって撮像することを特徴とする特許請求の範囲第1項乃至第8項の何れかに記載の欠陥検査方法。
- 15 10. (補正後) 探傷法による欠陥検査方法であって、検査対象物の被検査面を撮像手段で撮像し、該撮像して得た画像から前記被検査面内の<u>提似</u> <u>欠陥を除去して</u>欠陥候補を抽出し、該抽出した欠陥候補の画像を画面上に 表示し、該表示された欠陥候補の中から更に提似欠陥を除去することを特 費とする欠陥検査方法。
- 20 11. (補正後) 探傷法による欠陥検査方法であって、検査対象物の被検 董面を撮像手段で撮像し、該撮像して得た画像から前記被検査面内の<u>擬似</u> 欠陥を除去して欠陥候補を抽出し、該抽出した欠陥候補の画像を画面上に 表示し、該表示された欠陥候補の画像から<u>欠陥を選択し、該</u>選択された欠 陥に関する情報を記憶することを特徴とする欠陥検査方法
- 25 12. (補正後) 探傷法による欠陥検査装置であって、<u>検査対象物の被検査面に紫外光を照射する紫外光照射部と前記被検査対象物の被検査面に</u>

#1749amh 30.03.9g

自色光を照射する白色光照射部とを有して検査対象物の被検査面を前記 些外光又は前記白色光で照明する照明手段と、該照明手段で照明された前 記被検査面をカラービデオカメラで撮像する撮像手段と、該撮像手段で撮 像して得た前記被検査面の画像から該試被検査面の欠陥候補を抽出する 欠陥候補抽出手段と、該欠陥候補抽出手段で抽出した欠陥候補の画像を表 示する表示手段とを備えたことを特徴とする欠陥検査装置。

13. (削除)

10

15

20

14. (補正後) 探傷法による欠陥検査装置であって、検査対象物の被検査面を照明する照明手段と、該照明手段で照明された前記被検査面をカラービデオカメラで撮像する撮像手段と、該撮像手段で撮像して得た前記被検査面の画像から該被検査面の磁粉探傷による欠陥候補を抽出する磁粉探傷欠陥候補抽出手段と、前記撮像手段で撮像して得た前記被検査面の画像から前記被検査面の浸透探傷による欠陥候補を抽出する浸透探傷欠陥候補抽出手段と、前記磁粉探傷欠陥候補抽出手段または前記浸透探傷欠陥候補抽出手段と、前記磁粉探傷欠陥候補加出手段または前記浸透探傷欠陥候補抽出手段で抽出した欠陥候補の画像を表示する表示手段とを備えたことを特徴とする欠陥検査装置。

15. 探傷法による欠陥検査装置であって、検査対象物の被検査面を照明する照明手段と、該照明手段で照明された前記被検査面をカラービデオカメラで撮像する撮像手段と、該撮像手段で撮像して得た前記被検査面の餌像から該被検査面の欠陥候補を抽出する欠陥候補抽出手段と、該欠陥候補出手段で抽出した欠陥候補の画像を記憶する記憶部と、該記憶部に記憶した前記欠陥候補の画像に関する情報を画面上に表示する表示手段とを備えたことを特徴とする欠陥検査装置。

16. 探傷法による欠陥検査装置であって、蛍光磁粉を含む溶液を塗布し 25 た検査対象物の被検査面に紫外光を照射する紫外光照射手段と、該紫外光 照射手段により紫外光を照射された前記被検査面をカラービデオカメラ で撮像する撮像手段と、該撮像手段で撮像して得た前記被検査面の画像を前記紫外光を照射した被検査面を目視観察して得られる像とほぼ同じ状態で画面上に表示する表示手段とを備えたことを特徴とする欠陥検査装置。

РСТ

### 国際調查報告

(法8条、法施行規則第40、41条) [PCT18条、PCT規則43、44]

出願人又は代理人 の書類記号 219900143971	今後の手続きに		告の送付通知様式(PCT/ISA/220) を参照すること。
国際出願番号 PCT/JP99/01676	国際出願日(日.月.年)	31.03.99	優先日 (日.月.年)
出願人(氏名又は名称) 株式会社	上日立製作所		
国際調査機関が作成したこの国際調 この写しは国際事務局にも送付され		則第41条(PCT189	条)の規定に従い出願人に送付する。
この国際調査報告は、全部で	3 ページである。	0	
□ この調査報告に引用された先行	技術文献の写しも	添付されている。 	
1. 国際調査報告の基礎 a. 言語は、下記に示す場合を除 この国際調査機関に提出さ	くほか、この国際 された国際出願の翻	出願がされたものに基 排訳文に基づき国際調査	づき国際調査を行った。 Eを行った。
b. この国際出願は、ヌクレオチ □ この国際出願に含まれる		列を含んでおり、次の	配列表に基づき国際調査を行った。
□ この国際出願と共に提出:	されたフレキシブル	レディスクによる配列ま	ŧ
□ 出願後に、この国際調査権	幾関に提出された書	書面による配列表	
□ 出願後に、この国際調査権 □ 出願後に提出した書面に、書の提出があった。			こよる配列表 別示の範囲を超える事項を含まない旨の陳述
	した配列とフレキシ	レブルディスクによる酢	2列表に記録した配列が同一である旨の陳述
2. 請求の範囲の一部の調査	ができない (第1	欄参照)。	
3. 説明の単一性が欠如して	いる(第Ⅱ欄参照	) .	
4. 発明の名称は x 出	願人が提出したも	のを承認する。	
	に示すように国際	調査機関が作成した。	
5. 要約は 🗴 🗓	   願人が提出したも	のを承認する	
			第47条(PCT規則38.2(b))の規定により
<u> </u>	際調査機関が作成		国際調査報告の発送の日から1カ月以内にこ
6. 要約書とともに公表される図は 第 <u>2</u> 図とする。x 出		りである。	□なし
<u> </u>	出願人は図を示さな	かった。	
_ 4	図は発明の特徴を	・一層よく表している。	

# 特許協力条約に基づく

## 願 書

国際出願番号	受一方庁記入欄	
国際出願日		
(受付印)		

出願人は、この国際出願が特許協力条約に従って処理されることを請求する。	(受付印)	
	出願人又は代理人の書類記号 (希望する場合は最大12字) 2	219900143971
第1欄 発明の名称		
非破壊検査方法およびその装置		
第 II 欄 出願人		
氏名 (名称) 及びあて名 (姓・名の順に記載;法人は公式の完全な名称を記載	;あて名は郵便番号及び国名も記載)	この欄に記載した者は、 発明者でもある。
株式会社 日立製作所 HITACHI,LTD.		<b>電話番号</b> :
〒101-8010 日本国東京都千代田区神田駿河台四丁目 6 6, Kanda Surugadai 4-chome, Chiyoda-ku,	番地	ファクシミリ番号:
TOKYO 101-8010 <u>JAPAN</u>		加入電信番号:
団籍(国名): □本国 JAPAN 住	所(国名): 日本国 J	APAN
この欄に記載した者は、どの 指定国についての出願人である: すべての指定国 レ 米国を除く	くすべての指定国 米国のみ	追記欄に記載した指定国
第Ⅲ欄 その他の出願人又は発明者		
氏名(名称)及びあて名:(姓・名の順に記載;法人は公式の完全な名称を記載	; あて名は郵便番号及び国名も記載)	この欄に記載した者は、 次に該当する:
浅 野 敏 郎 ASANO Toshio 〒244-0817 日本国神奈川県横浜市戸塚区吉田町292 株式会社日立製作所 生産技術研究所内 C/O Production Engineering Research Laboratory, HI 292, Yoshida-cho. Totsuka-ku, Yokohama-shi, KANAGAWA 244-0817 <u>JAPAN</u>		出願人のみである。
国籍(国名): 日本国 JAPAN 住	所(国名): 日本国 J	APAN
この欄に記載した者は 次の 指定国についての出願人である: すべての指定国 米国を除く	くすべての指定国 レ 米国のみ	追記欄に記載した指定国
との他の出願人又は発明者が続葉に記載されている。		
第IV欄 代理人又は共通の代表者、通知のあて名		
	レー代理人	共通の代表者
氏名 (名称) 及びあて名: (姓・名の順に記載;法人は公式の完全な名称を記載; 6 8 5 0 弁理士 小 川 勝 男 () G A W A K atsuo, Patent Attorney (Reg. No. 6850) 〒100-8220 日本国東京都千代田区丸の内一丁目5番1 株式会社日立製作所内		電話番号: (03-3212-1111 ファクシミリ番号: (03-3214-3116
C/O HITACHI, L1D., 5-1. Marunouchi 1-chome, Chiyod TOKYO 100-8220 <u>JAPAN</u>	a-ku,	加入電信番号:
代理人又は共通の代表者が選任されておらず、上記枠内に特に通知が送付	付されるあて名を記載している場合は、	い印を付す

様式PCT/RO/101 (第1用紙) (1997年1月, 再版1998年1月)

				•	2	)					頁

第Ⅲ欄の続き その他の出願人又は発明者		
この続葉を使用しないときは、	この用紙を願書に含めないこと。	
氏名(名称)及びあて名:(姓・名の順に記載:法人は公式の完全な名称を言	己軟;あて名は郵便番号及び国名も記載)	この欄に記載した者は、 次に該当する:
酒 井 薫 SAKAJ Kaoru 〒244-0817 日本国神奈川県横浜市戸塚区吉田町29 株式会社日立製作所 生産技術研究所内 C/O Froduction Engineering Research Laboratory, 292, Yoshida-cho, Totsuka-ku, Yokohama-shi, KANAGAWA 244-0817 JAPAN		出願人ぶみである。  レ 出願人及び発明者である。  発明者へみである。  (ここにレ印を付したときは、以下に記入しないこと)
国籍(国名) 日本国 JAPAN	住所 (国名) : 日本国 J	APAN
この機に記載した者は かう 指定国についての出願人である すべての指定国 米国:	と除くすべて心指定国 レ 米国のみ	追記欄に記載した指定国
氏名 (名称) 及びあて名 (姓・名の順に記載、法月は云式の完全な名称を記	己載:きて名は郵便番号及び国名も記載)	この欄に記載した者は 次に該当する:
田 D 哲 共 TAGUCHI Tetsuo 〒317-0073 日本国茨城県日立市幸町正丁目1番地1 株式会社日立製作所 日立工場内 C/O Hitachi Works, HITACHI, LTD. 1-1, Saiwaicho 3-chome, Hitachi-shi, 1BARAKI 317-0073 JAPAN	号	出願人にみでもら  レ 出願人をび発明者である。  発明者(みできら (ここにレ印を付したときは、以下に記りしないこと)
国籍 国名 日本国 JAPAN	住所 · 国名 : 日本国 J	APAN
この欄に記載して者は、かの 指定国についての出願人である・ すべての指定国 米国を	と除くすべてC 指定国 レ 米国のみ	追記欄に記載した指定国
氏名 (名称) 及びまて名。(姓・名の順に記載、法人は云式の完全な名称を制度。中、動、夫 TANAKA Isao 〒317-0073 日本国茨城県日立市幸町三丁目1番地1 株式会社日立製作所 日立工場内 C/O Hitachi Works,HITACHI,LTD。 1-1, Saiwaicho 3-chowe,Hitachi-shi, IBARAKI 317-0073 JAPAN		この欄に記載した者に 次に該当する:     田願人のみである。     田願人及び発明者である。     発明者にみである。     (ここにレ印を付したときは、以下に記入しないこと)
国籍(国名): 日本国 JAPAN	住所 (国名 : 日本国 J	APAN
この欄に記載した者は かつ 指定国についての出願人である すべて心指定国 米国を	上除くすべて∈指定国 レ 米国のみ	追記欄に記載した指定国
氏名(名称)及びまて名 (姓・名の順に記載、法人は公式の完全な名称を書	己載:あて名は郵便番号及び国名も記載)	この欄に記載した者は 次に訪当する: 出願人のみできた。 出願人及び範囲者できる。 発明者にみである。 (ここにレ印を付したときは、以下に記入しないこと)
国籍:国名:	住所(国名):	
この欄に記載した者は、から 指定国についての出願人である: すべての指定国 米国を	上 ・	追記欄に記載した指定国
その他の出願人又は発明者が続業に記載されている。		

第V欄	国の指定	
規則 4.9	(a) 心規定に基づき次の指定を行う(該当する口内にレ印を付すこ	と;少なくとも1つの口にレ印を付すこと)。
たいた かた かたさ	≘-tr	
広域特 □A P	ARIPの特許:GHガーナ Ghana, GMガンビア Gam スーマン Sudan, S Zスワジランド Swaziland, U Gウガンダ 暗和属である他の属	nbia, K E ケニア kenya, L S レソト Lesotho, MWマラウイ Malawi, S D ′Uganda, Z W ジンパーエ Zimbabwe, 及びハラレプロトコルと特許協力条約の
□EA	ユーラシア特許:AMマルメニア Armenia, A Zアゼル Exigozotan, K Zカザフスタン Kazakstan, MDモルドヴァ H Lajikistan, TMトルタメニスタン Turkmenistan, 及びユーデ	バイジャン Azerbaijan,BYハラルーシ Belaius,KGキルキスタン Republic of Moldova,RUロンア連邦 Russian Federation,TJタシキスタン ラシア特許条約と特許協力条約の締約国である他の国
ŒEP	and trechtenstein, DEFAC Germany, DK FURTON DE	レギー Belgium, CH and L I フィス及びリヒテンシュタイン Switzerland enwark, E S スペイン Spain, F I フィンランド Finland, F R フランス I Eアイルラント Ireland, I Tィタリア Italy, L Uルクセンブルグ, P Tポルトサイ Portugal, S E スウェーデン Sweden, 及びヨーロッパ特
□ОА	CGコンニー Congo. CI 象牙海岸 Cote d'Ivoire, CMカ	6 J ベニン Benin, CF中央アフリカ Central African Republic, カメルーン Cameroon, GAガホン Gabon, GNギニア Guinea, ニール Niger, SNセキセル Senegal, TDチャード Chad. 条約の締約国である他の国(他の種類の保護又は取扱いを求める場合には点線上に
	言午(他の種類の保護又は取扱いをすめる場合には点線上に記載する	5)
$\square A L$	ア4・ニア Albanta	□MG マスカステル Madaguscar □MK マストニア田ユーコスラウィア The former Yugoslav Republic
$\square AM$	アルメニア Armenta	of Macedonia
	カーストリア Austria カーストラリア Australia	of Macedonia
	アナル インキン Azerbaijan	□MW == 74 Malawi
	ボスニア・ヘルジェゴヒナ Bosnia and Herzegovina	□MX <+v = Mexico
	· · · · · · · · · · · · · · · · · · ·	□ NO '-1 "x = Norway
⊟ВВ	t : F.7 Barbados	□ N Z = = - · · · - ランド New Zealand
$\square$ BG	プルガリア Bulgaria	□ P L ポーラント Poland
$\square$ BR	77 1 Brazil	□ P T ポルトガル Pertugal
$\square$ B Y	~ 5 1 − 1 Belarus	RO A-TET Romania
$\Box C A$	カード Canada	□ R U ロシア連邦 Russian Federation
$\Box CH$	and L I スイス及びリヒテンシュタイン	□ S D スータン Sudan
	Switzerland and Liechtenstein	□ S E スウェーデン Sweden □ S G シンガポール Singapore
☑C N	中国 (hina <sub>) (1)</sub>	SI RETHER Slovenia
	+= mos Cuba	6 **
	チェーニ Czech Republic トイニ Germany	□ S L フェラレオネ Sierra Leone
	F / Germany	□ T J ケゾキスケン Tajikistan
	F. T. Denmark	□ TM トルフィニスタン Turkmenistan
	エストニア Estonia	□TR ト4 = Turkey
	スペイン Spain フィンランド Finland	□ T T トリニャード・トゥゴ Tr:nidad and Tobago
HG B	英国 United kingdom	□UA カララメナ Ukraine
III F	フンプ Georgia	□UG ウガンギ Uganda
	サーナ Chana	☑US 土国 United States of America
	サンヒア Gambia	
	ポニアヒサウ Guinea-Bissau	□ U Z カブペキスタン Uzbekistan
	カリー Hungary	□ V N = 7.x h + 4 Viet Nam
	イ、トギシア	□YU ユーコスラピア Yugoslavia
	イマラエル Istael	□ ZW : Z Zimbabwe
$\Box$ is	アイフランド Iceland	
□ I P	H # Japan	
□KE	ラニア Kenya	以下の口は、この様式の施行後に特許協力条約の締約国となった国を指定
	キルキスタン hyrgyzstan	(国内特許のために) するためのものである
	韓国 Republic of Korea	
□KZ		<u> </u>
$\Box$ LC	せいトルシア Saint Lucia	<u> </u>
□LK	スリ・ランカ Sii Lanka	<u></u>
$\Box$ LR	9 ~ 0 7 Liberia	<u></u>
□LS	; '} Lesetho	<u></u>
□LT	リトアニア Lithuarda	<u></u>
□LU	a Ttima * Loxembourg	<u></u>
	SIMAT Latvia	<u></u>
$\square$ MD	⊕ 1 K <sup>er</sup> τ Republic of Moldova	[]
l		

出願人は、上紀の指定に加えて、規則4、9 (b) の規定に基づき、特許協力条約の下で認められり全ての国の指定を行う。 の国の指定を除く。 ただし、 出願人は、これらら追加されて指定が確認を条件としていること、並びに優先日から15月が経過する前にその確認かなされない指定は、この期間の経過時に、 出願人によって取り下げられたものとみなされることを宣言する。(指定の確認は、指定を特定する通知の提出と指定手数料及び確認手数料の納付からなる。こ の確認は、優先日から15月以内に受理官庁へ提出されなければならない。)

第VI欄 優先権主張	他の優先権の主張	(先の出願) が追記欄に記載されている	
下記の先の出願に基づき優先権を主張す	- ò		
国 名 (その国において又はその国に	先の出願の出願日	先の出願の出願番号	先の出願を受理した官庁名 (広域出願又は国際出願の 場合のみ記入)
ついて先の出願がされた) (1)	(日. 月. 年)		
(2)			
(3)			
かの口にレ印を付すこと。 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	面の首里官庁(日本国特許庁)で発行 のうち、次の ( ) の番号のものにつ ことを、受理官庁 (日本国特許庁の長	される場合であって、優先権書類送付請求 いいでは、出願書類の認証謄本を 官)に対して請求している。;	書を本件国際出願に派付するときに
第VII欄 国際調査機関			
先の調査 上紀国際調査機関によの基礎とすることを請求する場合に記さけ請求を特定する: 国名(又は広城官庁)	も別の翻壺(国際・国際型文はそのf 、する。先の調壺に関連する出願(若 出願日(日、月、年)	也)が既に実施又は詰求されており、可能な にしくはその翻訳)又は関連する調査請求を 出願番号	¢限り当該調査の結果を全回の国際 表示することにより、当該先の調
第VII欄 照合欄		にチェックした書類が添付されている。	
7 · X///III	5 枚       3.       記名押印(署         1 枚       4.       優先権書類(         2 枚       ( )の番号         7 枚	上記第 VI 欄の 6.	口座への振込みを証明する書面 生物に関する書面 及び/又はアミノ酸配列リス ブルディスク) よ 優先権書類送付請求書と具体的 する):
<u> </u>			
合計 4 要約書とともに公表する図として 第	2 図 を提示する (図面がある)	暴合)	
要約書とともに公表する図として 第		易合)	
	甲印	易合)	
要約書とともに公表する図として 第 第1X欄 提出者の記名	甲印	易合)	
要約書とともに公表する図として 第一第1X欄 提出者の記名打各人の氏名 (8称) を記載し、その次。	甲印 こmppする。 受理官)	· 記入欄	2. 図面
要約書とともに公表する図として 第 第IX欄 提出者の記名打 各人の氏名 (8杯) を記載し、その次 ハ 川 勝 男	伊印 と押印する。  受理官 「   長院の受理の日    赤売する書頃又は図面であって		受理された
要約書とともに公表する図として 第 第1X欄 提出者の記名打 各人の氏名(8称)を記載し、その次、 パ 川 勝 男	甲印 と押印する。  受理 官 「 集際の受理の日 市完する書頃又は図面であって 実際の受理の日 (訂正日)		
要約書とともに公表する図として 第 第 IX 欄 提出者の記名打 各人の氏名 (8称) を記載し、その次	甲印 こ 世 中 日		受理された

# 委 任 状

平成 年 月 日

私儀 弁理士 小 川 勝 男 を代理人と定め、 「非破壊検査方法およびその装置」 の国際出願に関し、下記の権限を委任します。

- 1. 特許協力条約に基づく国際出願に関する一切の件
- 2. 国際予備審査に関する一切の件
- 3. 上記出願又は指定を取り下げる件

あて名 名 称 代表者 〒101-8010 日本国東京都千代田区神田駿河台四丁目 6 番地 株式会社 日立製作所

林式云柱 日立安下的

取締役社長 金 井 務